

tem#			

Job _____

STARSYS[™] MOBILE, MODULAR WORKCENTERS

Modular System . . . Flexible Space

Metro Starsys™ flexible lab furniture is a polymer-based, highly-adaptive system, that enhances lab productivity and space efficiency by empowering the end user with the ability to easily reconfigure and move units around the lab.

The Starsys Modular System creates flexible space. No matter what you need — open, closed, short, tall, mobile or stationary, preconfigured workcenters — Starsys has the solution for you.

With Starsys, you choose from an array of modular units to fit the space and work specifications. It's that easy. And that flexible.

Benefits:

- Facilitates fast, efficient product or furniture installation.
- The ability to easily reconfigure lab furniture layout as needs change.
- The ability to easily reconfigure unit design.
- Durable, easy-to-clean, polymer enclosures that won't chip, peel, dent, or rust — ever.
- Rigid anodized aluminum and metal substructure, combined with advanced polymers, provides a robust and stable work environment for even the most sensitive equipment.
- Promote cGMP Protocol Microban®*
 antimicrobial product protection is built into every
 Starsys Unit inhibiting the growth of mold, mildew
 and bacteria.
- Advanced Security Options available including electronic locks, proximity card readers, as well as mechanical keylocks.



*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.

To configure a Starsys unit to your exact specifications, please visit www.metroconfigurator.com











Double-wide Mobile WorkCenter with **Epoxy Top, Sink and Overhead Cabinets**

Mobile WorkCenter Overhead Cabinets*

Cabinets include inner panels and mounting rails.

	Height/Depth/Width Overall Dimensions		Inside D		
Description	(in.)	(mm)	(in.)	(mm)	Cat. No.
Single-Wide Cabin	nets				
24" (610mm)	26 ³ / ₈ x13 ¹ / ₂ x21 ¹ / ₂	670x343x546	24 ⁵ / ₈ x12x17	625x341x432	SXRSOH24P
27" (686mm)	29 ³ / ₈ x13 ¹ / ₂ x21 ¹ / ₂	746x343x546	27 ⁵ / ₈ x12x17	702x341x432	SXRSOH27P
30" (760mm)	$32^{3}/_{8}x13^{1}/_{2}x21^{1}/_{2}$	822x343x546	30 ⁵ / ₈ x12x17	778x341x432	SXRSOH30P
33" (838mm)	$35^{3}/_{8}x13^{1}/_{2}x21^{1}/_{2}$	898x343x546	33 ⁵ / ₈ x12x17	854x341x432	SXRSOH33P
36" (914mm)	$38^{3}/_{8}x13^{1}/_{2}x21^{1}/_{2}$	973x343x546	36 ⁵ / ₈ x12x17	930x341x432	SXRSOH36P
Double-Wide Cabinets					
24" (610mm)	26 ³ / ₈ x13 ¹ / ₂ x41 ³ / ₈	670x343x1051	24 ⁵ / ₈ x10x36 ³ / ₄	625x254x933	SXRDOH24P
27" (686mm)	$29^{3}/_{8}x13^{1}/_{2}x41^{3}/_{8}$	746x343x1051	27 ⁵ / ₈ x10x36 ³ / ₄	702x254x933	SXRDOH27P
30" (760mm)	$32^{3}/_{8}x13^{1}/_{2}x41^{3}/_{8}$	822x343x1051	30 ⁵ / ₈ x10x36 ³ / ₄	778x254x933	SXRDOH30P
33" (838mm)	$35^{3}/_{8}x13^{1}/_{2}x41^{3}/_{8}$	898x343x1051	33 ⁵ / ₈ x10x36 ³ / ₄	854x254x933	SXRDOH33P
36" (914mm)	$38^{3}/_{8}x13^{1}/_{2}x41^{3}/_{8}$	973x343x1051	36 ⁵ / ₈ x10x36 ³ / ₄	930x254x933	SXRDOH36P
Shelves for Single-Wide Cabinets †					
Wire Shelf	1 ³ / ₈ x11x17 ¹⁵ / ₁₆	35x279x456			SXRSOHWE
Poly Shelf	$1^{1}/_{2}x12x18$	38x305x457			SXRSOHPS
Shelves for Double-Wide Cabinets††					
Wire Shelf	1 ³ / ₈ x11x36 ¹¹ / ₁₆	35x279x932			SXRDOHWE
Poly Shelf	1 ¹ / ₂ x12x37 ⁵ / ₈	38x305x956			SXRDOHPS

Overhead Accessories

	Height/Depth		
Description	(in.)	(mm)	Cat. No.
Light for Single-Wide Overhead Cabinets	1.50x5.82x19.75	38x148x502	SXRSOHL
Light for Double-Wide Overhead Cabinets	1.50x5.82x39.55	38x148x1005	SXRDOHL
Light for Triple-Wide Overhead Cabinets	1.50x5.82x59.35	38x148x1507	SXRTOHL
Overhead Light (No Valance)	1.32x4.63x14.25	34x118x362	SXROHLT
Overhead Back Filler Strip (1 Pair)*	2.875x.125x49.75	73x3x1264	SXROHFLR-49

^{*}One kit recommended for a single unit or for each end on a run of multiple units.



SXRLABKIT

Drawer/Door Label Holders

Description	Height/Length	Cat. No.
Label Kits (10 Pieces Per Kit)	³ / ₄ " X 11" (19 x 279mm)	SXRLABKIT



Single-Wide Overhead Cabinet with Solid Door



Double-Wide Overhead Cabinet with Wire Shelves (2) and Locking, Clear Doors



Double-Wide Overhead Cabinet with Polymer Shelves and Locking, Clear Doors



[†] Load rating for single-wide shelves, both wire and poly, is 60 lbs. (27kg).
†† Load rating for double-wide shelves, both wire and poly, is 120 lbs. (54kg).
* Triple-wide overhead cabinets are only offered as part of Mobile WorkCenter offering. Contact your Metro representative for more information.



Preconfigured Mobile WorkCenters with Black Epoxy Tops

All preconfigured units below come standard with taupe door/drawer pulls and polymer 5" (127mm) diameter casters (2-total lock, 2-swivel). Overhead units include 27" (686mm) cabinets with locking clear doors and two poly shelves. The countertops are 1" (25mm) thick black epoxy resin. Other top materials and accessories are available upon request. Contact your Metro representative or visit www.metroconfigurator.com.

Description	Cat. No.	Overall Dimensions Width/Length/Height	Cat. No. With Overhead	Overall Dimensions Width/Length/Height
Single-Wide Units				
Single-Wide Heavy-Duty 12" (305mm) (2)	SXRMWS33EBS1	28.6x23.6x33.5		
Single-Wide with Standard Drawers	SXRMWS36EBS2	28.6x23.6x36.5	SXRMWS36EOH2	28.6x23.6x81.5
Single-Wide with Locking Doors and Poly Shelves	SXRMWS36EBS3	28.6x23.6x36.5	SXRMWS36EOH3	28.6x23.6x81.5
Double-Wide Units				
Double-Wide Heavy-Duty 12" (305mm) (2)	SXRMWD33EBS1	28.6x43.4x33.5		
Double-Wide with Standard Drawers	SXRMWD36EBS2	28.6x43.4x36.5	SXRMWD36EOH2	28.6x43.4x81.5
Double-Wide with Locking Doors and Poly Shelves	SXRMWD36EBS3	28.6x43.4x36.5	SXRMWD36EOH3	28.6x43.4x81.5
Triple-Wide Units				
Triple-Wide with S & D HD Drawers	SXRMWT36EBS6	28.6x63.2x36.5	SXRMWT36EOH6	28.6x63.2x81.5
Triple-Wide with Locking Doors and Wire Shelves	SXRMWT36EBS4	28.6x63.2x36.5		
Triple-Wide with Locking Doors and Poly Shelves			SXRMWT36EOH3	28.6x63.2x36.5
Triple Kneewell with Standard Drawers	SXRMWTK36EBS2	28.6x63.2x36.5	SXRMWTK36EOH2	28.6x63.2x81.5
Triple Kneewell with Locking Doors and Poly Shelves	SXRMWTK36EBS3	28.6x63.2x36.5	SXRMWTK36EOH3	28.6x63.2x81.5
Triple Kneewell with Standard Drawers	SXRMWTK39EBS2	28.6x63.2x39.5		
Triple Kneewell with Locking Doors and Poly Shelves	SXRMWTK39EBS3	28.6x63.2x39.5		
Single Kneewell with HD Drawers	SXRMWSK33EBS1	28.6x73x33.5		
Single Kneewell with Standard Drawers	SXRMWSK39EBS2	28.6x73x39.5		
Single Kneewell with Locking Doors and Poly Shelves	SXRMWSK39EBS3	28.6x73x39.5		

















nline industrial & laboratory furniture 888.635.2949 | NELdirect.com



Starsys Mobile Workcenter models shown below include epoxy countertops. These models are also available wth stainless steel, phenolic, solid surface and laminate tops. Contact your Metro representative for more information or visit www.metroconfigurator.com











Starsys Carts are built to exact customer specifications, therefore, they are non-cancelable, non-returnable.

All Metro Catalog Sheets are available on our Web Site: www.metro.com





L03-252 Printed in U.S.A. Rev. 1/11

Information and specifications are subject to change without notice. Please confirm at time of order

Copyright © 2011 InterMetro Industries Corp.